

Amendments to the Claims

The following Listing of Claims replaces all prior versions, and listings, of claims in the application.

Listing of Claims:

Claims 1-10 (canceled)

Claim 11 (currently amended): A machine-implemented method, comprising:

receiving a scalable encoded bitstream comprising scalable encoded media data and values of non-media-type-specific scalability attribute variables defining different adaptation points of the scalable encoded media data;

obtaining receiving attributes for a destination of an outbound version of the scalable encoded bitstream, wherein ones of the receiving attributes define explicit constraints on the outbound version of the scalable encoded bitstream in terms of respective ~~semantic-independent~~ functions of ones of the scalability attribute variables;

determining values of adaptation measures from respective evaluations the ~~semantic-independent~~ functions based on the values of the ones of the scalability attribute variables;

ascertaining a set of one or more candidate ones of the adaptation points of based on imposition of the constraints on the determined values of the adaptation measures;

selecting an adaptation point from the set of candidate adaptation points without regard to the scalable encoded media data; and

transcoding the scalable bit stream in accordance with the selected adaptation point to produce the outbound version of the scalable encoded bitstream.

Claim 12 (previously presented): The method of claim 11, wherein the determining comprises determining the value of at least one of the adaptation measures based at least in part on a multivariate function defined by a respective one of the receiving attributes and comprising a linear combination of products of univariate functions of ones of the scalability attribute variables.

Claim 13 (previously presented): The method of claim 12, wherein the ascertaining comprises comparing the at least one adaptation measure to at least one constraint defined by a respective one of the receiving attributes.

Claim 14 (previously presented): The method of claim 11, wherein the ascertaining comprises comparing ones of the adaptation measures to respective limit constraints defined by respective ones of the receiving attributes.

Claim 15 (previously presented): The method of claim 11, wherein the selecting comprises comparing ones of the adaptation measures to optimization constraints defined by respective ones of the receiving attributes.

Claim 16 (previously presented): The method of claim 13, wherein the products comprise product terms and the determining comprises evaluating the multivariate function based on ones of the receiving attributes specifying at least one of:

- a number of product terms in the linear combination;
- a number of elements in each product term;
- attribute codes for attributes in each product term;
- function codes for the univariate functions of the attribute values; and
- multipliers for the linear combination.

Claim 17 (previously presented): The method of claim 14, wherein the ascertaining comprises comparing ones of the adaptation measures to ones of the limit constraints specifying for at least one of one of the adaptation measures at least one of a maximum value and a minimum value supportable by the destination.

Claim 18 (previously presented): The method of claim 15, wherein the selecting comprises selecting the adaptation point in accordance with at least one of the optimization

constraints specifying at least one of a maximization and a minimization of a respective one of the adaptation measures.

Claim 19 (previously presented): The method of claim 11, wherein the determining comprises determining at least one of the adaptation measures based at least in part on an evaluation of a stack function comprising operators, and variables corresponding to ones of the scalability attributes.

Claims 20-32 (canceled)

Claim 33 (currently amended): A transcoder, comprising:

an input that receives a scalable encoded bitstream comprising scalable encoded media data and a resource description comprising values of non-media-type-specific scalability attribute variables defining different adaptation points of the scalable encoded media data, wherein the input additionally receives receiving attributes for a destination of an outbound version of the scalable encoded bitstream, wherein ones of the receiving attributes define explicit constraints on the outbound version of the scalable encoded bitstream in terms of respective ~~semantic-independent~~ functions of ones of the scalability attribute variables;

an optimizer that determines values of adaptation measures from respective evaluations of the ~~semantic-independent~~ functions based on the values of the ones of the scalability attribute variables, ascertains a set of one or more candidate ones of the adaptation points of based on imposition of the constraints on the determined values of the adaptation measures, and selects an adaptation point from the set of candidate adaptation points without regard to the scalable encoded media data; and

a resource adaptation engine that transcodes the scalable bit stream in accordance with the selected adaptation point to produce the outbound version of the scalable encoded bitstream.

Claim 34 (currently amended): A computer system, comprising:

a memory; and

a transcoder that performs operations comprising

receiving a scalable encoded bitstream comprising scalable encoded media data and values of non-media-type-specific scalability attribute variables defining different adaptation points of the scalable encoded media data, obtaining receiving attributes for a destination of an outbound version of the scalable encoded bitstream, wherein ones of the receiving attributes define explicit constraints on the outbound version of the scalable encoded bitstream in terms of respective ~~semantic-independent~~ functions of ones of the scalability attribute variables;

determining values of adaptation measures from respective evaluations the ~~semantic-independent~~ functions based on the values of the ones of the scalability attribute variables;

ascertaining a set of one or more candidate ones of the adaptation points of based on imposition of the constraints on the determined values of the adaptation measures;

selecting an adaptation point from the set of candidate adaptation points without regard to the scalable encoded media data, and

transcoding the scalable bit stream in accordance with the selected adaptation point to produce a scaled version of the scalable encoded bitstream.

Claims 35 and 36 (canceled)

Claim 37 (previously presented): The method of claim 11, wherein the scalable encoded bitstream additionally comprises description metadata specifying a hierarchical model of the bitstream, and the transcoding further comprises adapting the description metadata to represent the structure of the outbound version of the scalable encoded bitstream.

Claim 38 (previously presented): The method of claim 11, wherein the scalable encoded bitstream specifies combination variables in terms of respective ordered lists of ones of numeric constants, variables, arguments, and operators; and further comprising evaluating each of the

combination variables, wherein the evaluating comprising pushing the respective ordered list onto a respective expression stack.

Claim 39 (previously presented): The method of claim 38, wherein
the pushing comprises pushing each constant into the respective expression stack, and
the pushing of each constant comprises pushing a real numeric element corresponding to
the constant into the respective expression stack.

Claim 40 (previously presented): The method of claim 38, wherein
the pushing comprises pushing each variable into the respective expression stack, and
the pushing of each variable comprises determining a numeric value of the variable for a
set of adaptation points and pushing the determining numeric value into the respective
expression stack.

Claim 41 (previously presented): The method of claim 38, wherein
the pushing comprises pushing one or more unary operators into the respective
expression stack, and
in response to pushing each unary operator into the respective expression stack, popping
the unary operator and a successive top numeric stack element out of the respective expression
stack, determining a result from the popped unary operator and numeric stack element, and
pushing the result into the respective expression stack.

Claim 42 (previously presented): The method of claim 38, wherein
the pushing comprises pushing one or more binary operators in the respective expression
stack, and
in response to pushing each binary operator into the respective expression stack, popping
the binary operator and two successive top numeric stack elements out of the respective
expression stack, determining a result from the popped binary operator and the two numeric
stack elements, and pushing the result into the respective expression stack.

Applicant : Debargha Mukherjee et al.
Serial No. : 10/724,284
Filed : Nov. 26, 2003 .
Page : 7 of 12

Attorney's Docket No.: 200310816-1
Amendment dated Sep. 16, 2008
Reply to Office action dated June 18, 2008

Claim 43 (previously presented): The method of claim 38, further comprising calling each of the combination variables specifying a number of arguments, and in response to each calling of a respective one of the combination variables, serially popping the specified number of top elements from the respective expression stack, and determining a value of the combination variable from the popped elements.

Claim 44 (new): The method of claim 11, wherein the receiving comprises receiving the scalable encoded bitstream from at least one remote network node, the obtaining comprises receiving the receiving attributes from at least one remote network node, and the scalable encoded bitstream and the receiving attributes are received from different from respective network nodes.